
















JPU

Pads and Accessories

Professional cleaning, caring and renovating




Our Product Portfolio

High-Speed Pads Page 4	Super Pads Page 5	Melamin Pads Page 6	Melamin Combo Pads Page 7	Juwex Premium Pads Page 8/9	Cobra Line Pads Page 10
					
Microfiber Pads and Bonnets Page 11	Normal Pads Page 12	Normal/ Super Handpads and Pad Holders Page 12	Sanding Mesh Sand Paper and Steel Wool Pads Page 13	Friction Pads Page 14	Sizes and Dimensions Page 15
					

Pads and Accessories

Professional floor cleaning, care and renovation

For many applications such as basic cleaning, conditional film renovation, cleaning machines, wet-scrubbing or polishing – JPU offers a broad range of pads and accessories for all types of floors and common cleaning machines. With our private brands **JANEX** and **Juwex** you will benefit from our technological know-how and from our experience in processing and refining high-quality pads.



High-Speed Pads

JPU

for high rotational speeds!

Features

- For single disc machines
- High rotational speeds (350-3000 RPM)
- Variable material mix (synthetic fibers and natural bristles)
- Low frictional heat
- Suitable for all types of floors



Ivory



Natural light



Natural medium



Natural



UHS Apricot



Aqua light



UHS blue

Typical applications*

High Speed Pad	350 to 1,000 RPM	1,000 to 2,000 RPM	2,000 to 3,000 RPM	Floor coating			Rubberized pad
				Hard	Medium	Soft	
Ivory							
Natural light							
Natural medium							
Natural							
UHS Apricot							
Aqua light							
UHS blue							

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Super Pads

JPU


High dirt capacity – long service life!

Features

- Thickness: approx. 22 mm
- High dirt-pickup
- No frequent change-over



JANEX[®]
powered by
americo



Typical applications*

Floor type / application	Linoleum	PVC Polyolefine	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Polishing	White, Natural	White, Natural	White, Natural	White, Natural	White, Natural	White, Natural	White, Natural	
Wet scrubbing	White, Red	White, Red	White, Red	White, Red	White, Red	White, Red	White, Red	
Cleaning	Red	Red	Red	Red	Red	Red	Red	
Renovation of conditioning film	Blue	Blue	Blue	Blue	Blue	Blue	Blue	
Stripping	Green	Green, Brown	Green	Green, Brown, Black	Green	Green	Green, Brown	
Abrasive finishing				Hi-Pro, Black			Hi-Pro, Black	

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Melamin Pads

Thorough cleaning even in corners and recesses

Features


- Product versions: pads, hand-pads and sponge
- For hard, uncoated and scratch-resistant surfaces (e. g. tiles, taps, basins)



pad



hand-pad



sponge



Typical applications*: Melamin Pads and Combo Pads

Floor type / application	Linoleum	PVC Polyolefine	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Shampooing								
Wet scrubbing	X	X	X	X	X	X		
Cleaning								
Renovation of conditioning film								
Stripping	X	X	X	X	X	X		
Abrasive finishing								

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information. Melamin Combo Pads are available only as pads and hand-pads.

Melamin Combo Pads

Excellent cleaning without post-treatment

New!

Features

- Tear-resistant material mix with profile structure
- Effective deep cleaning – dirt-absorbing effect
- Economical alternative – reduced effort, reduced use of chemical substances
- High area capacity > 10.000 m²
- Floor structure and slip resistance remain unchanged
- Universal applications for all types of automatic scrubbers and single-disc machines
- Ideal for stoneware, natural stone and – artificial stone, natural colored earthenware and structured safety tiles



pad



hand-pad



From natural stone to tiles, epoxy resin, concrete, or linoleum - **Juwex** pads offer a perfect solution for all types of floors. Special crystalline micro particles with excellent abrasive properties provide for a unique brilliance. Four grain sizes with different hardness are available to create an ideally matching system for basic and maintenance cleaning.

New!
Unique
brilliance for
blunted and
worn floor
surfaces



Features

- Coated with micro-diamonds
- Mechanical cleaning and polishing – no chemical substances!
- Suitable for all common single-disc machines and auto-scrubbers
- For high rotational speeds (up to 2,000 RPM)



rough	medium	fine	very fine
Grit 500	Grit 1000	Grit 1500	Grit 3000

Typical applications*

Floor type / application	Linoleum	PVC Polyolefine	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Shampooing								
Wet scrubbing								
Cleaning								
Renovation of conditioning film								
Stripping								
Abrasive finishing								

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Shiny floors – step by step



1st step: primary cleaning

- for primary cleaning of heavily worn stone floors
- effectively removes scratches and contaminations
- for clean, mat surfaces
- ideal preparation for treatment using **Juwex** Pads “Blue” products

Top performance – without chemistry!



2nd step: touch-up

- removes small scratches
- for clean, silk mat surfaces
- ideal preparation for treatment using **Juwex** Pads “Yellow” and “Green” products



3rd step: surface treatment

smooth treatment of surfaces
ideal preparation for treatment using **Juwex** Pads “Green” products



4th step: finishing

for permanent brilliance and traction
(if used regularly)

Cobra Line Pads

JPU

Features

- For single-disc machines up to 350 RPM.
- Ideal for stone floors
- High concentration of fine grinding particles
- Mechanical cleaning – no chemical cleaning and care agents required



JANEX[®]
powered by
americo

rough



Grit 120

medium



Grit 320

fine



Grit 800

very fine



Grit 1000

Typical applications*

Floor type / application	Linoleum	PVC Polyolefine	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Polishing								
Wet scrubbing								
Cleaning								
Renovation of conditioning film								
Stripping								
Abrasive finishing								

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Microfiber Pads

Ideal for stoneware tiles!

JPU

Features

- For structured surfaces – effective removal of dirt from micro-pores
- High absorption of dirt and humidity
- Protection of stone and stoneware floors against graying (if applied regularly)
- Simple application
- Washable at 60°C (no softener, no dryer)



Low-pile



High-pile



Grey pad stripes



Blue bristle

Typical applications* Microfiber Pads and Bonnets

Floor type / application	Microfiber Pads						Bonnets	
	Linoleum	PVC polyolefins	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Shampooing								○ ●
Wet scrubbing	○ ○	○ ○	○ ○	● ●	● ●	● ●		
Cleaning	○ ○	○ ○	○ ○	● ●	● ●	● ●		

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Bonnets



Light Duty



Medium Duty

Your benefits

- For fitted carpeting
- Simple application: spray, place on drive disc and start
- Fast and gentle cleaning



Normal Pads

Features

- Thickness: approx. 12 mm
- Abrasive grains in the entire fleece
- Parallel arrangement of fibers
- Uniform wear
- Long service life



Typical applications*

Floor type / application	Linoleum	PVC polyolefins	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Polishing	White, Natural	White, Natural	White, Natural	White, Natural	White, Natural	White, Natural	White, Natural	
Wet scrubbing	Natural, Red	Natural, Red	Natural, Red	Natural, Red	Natural, Red	Natural, Red	Natural, Red	
Cleaning	Red	Red	Red	Red	Red	Red	Red	
Renovation of conditioning film								
Stripping	Green	Green, Black	Green	Green, Black	Green	Green	Green	


*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Typical applications on page 4/5

Normal and Super Handpads

Features

- Ideal complement for normal and super-pads
- Rectangular design
- Different sizes
- Accessories: pad holder for hand and stick



* only available as Super-Handpad

Sanding Mesh (rough grinding)

Ideal for wood and stone floors!

Features

- Open structure – optimum machining of wood and stone floors
- Coated with silicon carbide
- Highest quality standards



- rough **40/60** Grit 40/60
- fine **80-120** Grit 80/100/120
- very fine **150-220** Grit 150/180/220

Sand Paper (finishing)

Features

- Ideal for refurbishing wood floors
- Different grain sizes
- Broad spectrum: from old coating to finishing



- very rough **12** Grit 12
- rough **16/24** Grit 16/24
- medium **60** Grit 60
- fine **80-120** Grit 80/100/120

Tip:

For the removal of old wax layers: use a super pad (Hi-Pro) before applying the sanding mesh.

Typical applications* Sanding Mesh and Paper

Floor type / application	Linoleum	PVC polyolefins	Rubber elastomers	Resin	Natural cast stone	Concrete	Wood Parquet Cork	Textile
Grinding						● ●	● ●	

*Non-committal application examples and suggestions. You will find suitable adhesive coatings on page 14. Please contact your floor manufacturer for more detailed information.

Steel Wool Pads

Features

- For stone floor cleaning (marble, terrazzo, travertine and artificial stone)
- Available in steel and stainless steel



Steel



Stainless steel

Tip:

The machining of calciferous minerals using steel wool pads – in combination with acidic solutions – results in an enrichment of micro-crystals (surface hardening).

Friction Pads


Full friction Pad



Stripe friction Pad



Pyramid rubber



Sanding disc Pad



Typical applications friction pads

Pad	Normal Pads	Super Pads	High-Speed Pads	Microfiber Pads and Bonnets	Cobra Line Pads	Juwex Pads	Sanding Mesh	Sand Paper	Steel wool Pads
Full friction Pad									
Stripe friction Pad									
Pyramid rubber									
Sanding disc Pad									

When sanding parquet, place a normal pad (black) between sanding mesh and friction pad!

Pads – Sizes and Dimensions*

Size		Pad											
		Normal Pads	Super Pads	High-Speed Pads	Cobra Line Pads	Juwex Pads	Microfiber Pads	Bonnets	Melamin Pads	Melamin Combo Pads	Sanding Mesh	Sand Paper	Steel Wool Pads
mm	Inch												
127	5"	●	●	●	●	●							
152	6"	●	●	●	●	●					●		
165	6,5"	●	●	●	●	●							
180	7"	●	●	●	●	●							
200	7,75"	●	●	●	●	●							
205	8"	●	●	●	●	●			●	●			
225	9"	●	●	●	●	●							
255	10"	●	●	●	●	●	●		●	●			
265	10,5"	●	●	●	●	●							
280	11"	●	●	●	●	●				●			
305	12"	●	●	●	●	●				●			
325	13"	●	●	●	●	●	●		●	●	●		
340	13,5"	●	●	●	●	●							
355	14"	●	●	●	●	●	●			●	●		
380	15"	●	●	●	●	●	●		●	●	●		
410	16"	●	●	●	●	●	●		●	●	●	●	
430	17"	●	●	●	●	●	●	●	●	●	●	●	●
460	18"	●	●	●	●	●			●	●	●		
480	19"	●	●	●	●	●					●		
510	20"	●	●	●	●	●	●			●	●		
530	21"	●	●	●	●	●				●			
560	22"	●	●	●	●	●							
585	23"	●	●	●	●	●							
610	24"	●	●	●	●	●							
635	25"	●	●	●	●	●							
685	27"	●	●	●	●	●							
710	28"	●	●	●	●	●							

*Special sizes available on request

JPU Reinigungsprodukte GmbH

Am Jägerfließ 4

04626 Schmölln-Nitzschka

T +49 (0) 34491 635 93

F +49 (0) 34491 635 94

www.jpu-reinigungsprodukte.com

info@jpu-reinigungsprodukte.com